

necessary

SAFETY DATA SHEET

Page 1 of 4 SECTION 1: PRODUCT AND COMPANY IDENTIFICATION PRODUCT IDENTIFIER Floor-Dry **, Sold-A-Sorb®, Celatom® MP grades CHEMICAL NAME Diatomaceous Earth, Natural CHEMICAL FAMILY Silica MATERIAL USE Industrial Absorbent RESTRICTION ON USE None Known MANUFACTURER EP Minerals, LLC., 9785 Gateway Dr., Rano, NV 89521 TELEPHONE NO. (775) 824 7600 (Monday - Friday 8:00 am PST - 5:00 pm PST) EMERGENCY TELEPHONE NO. (775) 824 7600 (Monday - Friday 8:00 am PST - 5:00 pm PST) SDS DATE OF PREPARATION October 31, 2013 **SECTION 2: HAZARDS IDENTIFICATION** OSHA GHS HAZARD Not classified as hazardous CLASSIFICATION HAZARDS NOT OTHERWISE None CLASSIFIED LABEL ELEMENTS No GHS labeling required SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS **APPROXIMATE** INGREDIENT IDENTIFICATION CAS NUMBERS EINECS CONCENTRATION (%) Diatomaceous Earth, Natural (kieselguly) 100% 61790-53-2 231-545-4 or 7631-86-9 **SECTION 4: FIRST AID MEASURES** EYE Flush eyes with generous quantities of water or eye rinse solution. Consult physician if irritation persists. SKIN Use moisture renewing lotions # dryness occurs. INGESTION Drink generous amounts of water to reduce bulk and drying effects. INHALATION Remove to fresh air. Blow nose to evacuate dust. Most important Dust may cause abrasive inflation to eyes. Prolonged skin contact may cause dryness. Dust may cause nose, symptoms/effects, acute and throat and upper respiratory tract irritation. Prolonged inhalation of high concentration of dust may cause lung delayed Indication of Immediate medical attention and special treatment, if Immediate medical attention is not normally required. If dust imitates the eyes, seek medical attention.

P***	***************************************					
MATERIAL NAME	Floor-Dry ^{TV} , Solid-A-Sorb®, Calatom® MP grades Page 2 of			Page 2 of 4		
SECTION 5: FIRE FIGHT	TING MEASURES					
EXTINGUISHING MEDIA	Not appli	cable, the material is not o	combustble.			
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not applicable, the material is not combustible.					
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS	Not applicable, the material is not combustible.					
SECTION 6: ACCIDENT	AL REL	EASE MEASUR	ES			
PERSONAL PRECAUTIONS	If dust is present, use respirator fitted with particulate filter as specified in Section 8. Protect eyes with goggles.					
ENVIRONMENTAL PRECAUTIONS	This material is not a significant emirormental concern.					
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Vacuum clean spilage, wet sweep or wash away. Avoid creating dust. Place in a container for use or disposal.					
SECTION 7: HANDLING	AND S	TORAGE				
PRECAUTIONS FOR SAFE HANDLING	Minimize dust generation. Avoid contact with eyes. Avoid breathing dust, Repair or dispose of broken bags. Observe all label precautions and warnings.					
CONDITIONS FOR SAFE STORAGE	Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid or strongly basic solutions,					
SECTION 8: EXPOSURE	CONT	ROLS / PERSON	AL PROTEC	CTION		
EXPOSURE GUIDELINES:						
Component		OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH REL	
Diatomacoous Earth, Natural (leeselguhr)		80 mg/m ³ % SiO ₂ total dust	None Established	5 mg/m ³	6 mg/m³	
ENGINEERING CONTROLS	Use general or local exhaust ventilation to control dust within recommended exposure limits. Refer to ACGIH publication "Industrial Ventilation" or similar publications for design of ventilation systems.					
PERSONAL PROTECTIVE EQUIPMENT:	У Собина (1819) — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1816 — 1					
EYE / FACE PROTECTION	Goggles to protect from dust					
SKIN PROTECTION	No special equipment is needed.					
RESPIRATORY PROTECTION	If the exposure limits are exceeded, a NIOSH approved respirator appropriate for the form and concentration of the contaminants should be used. For example, if the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL), use a quarter or half-mask respirator with an N95 dust filter or a single-use dust mask rated N95. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.					
GENERAL HYGIENE	Avoid brea	athing dust. Avoid contac	(with eyes. Wash	hands after handling and before eati	ng or drinking.	
GENERAL RYGIENE	AYOS DO	athing dust. Avoid contac	t with eyes. V/ash	hands after handling and before eati	ng or drinking.	

MATERIAL NAME	Floor-Dry™, Solid-A-Sorb®, Celatom® MP grades			Page 3 of 4	
SECTION 9: PHYSICAL	AND CHEMICAL PRO	PERTIES		Autorian de la companya de la compa	
APPEARANCE, COLOR	Buff to off white granules ODOR Odoriess				
PHYSICAL STATE	Solid	ODOR THRESHOLD	Not applicable		
VAPOR PRESSURE	Not applicable	VAPOR DENSITY	Not applicable		
BOILING POINT	Not applicable	MELTING POINT	> 1300° C		
FLASH POINT	Not applicable	pH (10% SUSPENSION)	7		
FLAMMABILITY LIMITS	Not applicable	EVAPORATION RATE	Not applicable		
DECOMPOSITION TEMPERATURE	> 1300° C	SPEC. GRAVITY / RELATIVE DENSITY	2.2		
AUTOIGNITION TEMPERATURE	Not applicable	PARTITION COEFFICIENT - n- OCTANOL/WATER	Not applicable		
FLAMMABILITY (solid/gas)	Not applicable	SOLUBILITY - WATER	< 11	16	
		VISCOSITY	Not appl	icable	
SECTION 10: STABILIT	Y AND REACTIVITY				
REACTIVITY	Material is not reactive.				
CHEMICAL STABILITY	Material is stable.				
POSSIBILITY OF HAZARDOUS REACTIONS	Material is not reactive,				
CONDITIONS TO AVOID	Not applicable				
INCOMPATIBLE MATERIALS	Products containing silica may react violently with hydrofluoric acid and strongly basic solutions.				
HAZARDOUS DECOMPOSITION PRODUCTS	Not applicable				
SECTION 11: TOXICOL	OGICAL INFORMATION	V			
POTENTIAL HEALTH EFFECTS	See below and Section 11 for additional information				
Likely Routes of Exposure	See below				
EYE	May cause irritation (tear formation and redness) if dust gets in eyes.				
SKIN	Not absorbed by the skin, but may cause dryness if prolonged exposure.				
INGESTION	Ingestion of small to moderate quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.				
INHALATION	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Chronic Inhalation of dust should be avoided.				
CHRONIC EFFECTS	Chronic inhalation of dust in excess of the Permissible Exposure Limit (PEL) established by OSHA over a prolonged number of years may cause lung changes.				
NTP	Distornaceous Earth, Natural is not classified as a carcinogen.				
IARC	Diatomaceous Earth, Natural is not classifiable as to carcinogenicity in humans (Group 3).				
NUMERICAL MEASURES OF TOXICITY	No data aveilable				

MATERIAL NAME	Floor–Dry™, Solid-A-Sorb®, Celatom® MP grades Page 4 of 4					
CORROSIVENESS, SENSITIZATION, IRRITANCY	Not applicable					
REPRODUCTIVE TOXICITY	Not available					
TERATOGENICITY, MUTAGENICITY	Not available					
SECTION 12: ECOL	OGICAL INFORMATION					
ЕСОТОХІСПҮ:	Diatomaceous earth products have shown some efficacy as a natural insecticide, but otherwise have no demonstrated toxicity in regards to equatic or terrestrial life.					
PERSISTENCE AND DEGRADABILITY	Non-biodegradable, inert.					
BIOACCUMULATIVE POTENT	Little potential for bioaccumulation					
MOBILITY IN SOIL	No mobility					
OTHER ADVERSE EFFECTS	None known					
SECTION 13: DISPO	SAL CONSIDERATIONS					
WASTE DISPOSAL	f this material as supplied becomes a waste, use solid waste disposal common to landfill type operations or in sturn tumps. Not considered a hazardous waste under RCRA (40CFR Part 261).					
PACKAGING DISPOSAL	Dispose of in accordance with applicable laws and regulations, typically solid waste disposal common to landfill type operations.					
SECTION 14: TRANS	SPORT INFORMATION					
BASIC SHIPPING INFORMATION	DOT shipping classification 55 (no restrictions). Technical name is "Diatomaceous Earth".					
ADDITIONAL INFORMATION	No special requirements or placarding nocessary,					
SECTION 15: REGUI	LATORY INFORMATION					
U.S. FEDERAL:						
TSCA	Nomeceous Earth, Natural appears on the EPA TBCA inventory list.					
CERCLA	Distomaceous Earth, Natural is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.					
SARA TITLE III	Not listed.					
INTERNATIONAL:						
WHMIS Classification	hase products are not regulated by WHMIS					
WHMIS Ingredient Disclosure List	No reportable ingredients are present.					
SECTION 16: OTHER	RINFORMATION					
	4-Extreme 3-High 2-Moderate 1-Slight 0-knsignificant 0 Health 0 Flammability 0 Reactivity E Protective Equipment					
ORIGINAL ISSUE DATE	March 4, 1994					
REVISION DATE	December 10, 2015					
REVISION NO.	9					

Disclaimer: As of the date of the preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state laws. No warranty, representation or guaranty of any kind, express or implied, is hereby provided or intended with respect to the completeness of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by the purchase, resale, use or exposure to our product. Customer users of silica must comply with all applicable health and safety laws, regulations and orders, including OSHA Hazardous Communication Standard.