



## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

#### Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MAXX DURABLE FLOOR FINISH PART A - PHAZER

Other means of identification : Not applicable.

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : DILUTION DETAILED ON LABEL

Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/08/2015

#### Section: 2. HAZARDS IDENTIFICATION

##### GHS Classification

##### Product AS SOLD

Not a hazardous substance or mixture.

##### Product AT USE DILUTION

Eye irritation : Category 2B

##### GHS Label element

##### Product AS SOLD

Precautionary Statements : **Prevention:**  
Wash hands thoroughly after handling.  
**Response:**  
Get medical advice/ attention if you feel unwell.  
**Storage:**  
Store in accordance with local regulations.

##### Product AT USE DILUTION

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

##### Product AS SOLD

Other hazards : None known.

#### Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART A - PHAZER

### Product AS SOLD

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
triethylamine	121-44-8	0.1 - 1

### Product AT USE DILUTION

Chemical Name	CAS-No.	Concentration: (%)
triethylamine	121-44-8	0.1 - 1

## Section: 4. FIRST AID MEASURES

### Product AS SOLD

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : No specific measures identified.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

### Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

## Section: 5. FIREFIGHTING MEASURES

### Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus

Special protective equipment for firefighters : Use personal protective equipment.

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART A - PHAZER

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Risk of explosion. : Not available.

### Section: 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : No special environmental precautions required.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Section: 7. HANDLING AND STORAGE

#### Product AS SOLD

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 5 °C to 40 °C

#### Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

### Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART A - PHAZER

Contains no substances with occupational exposure limit values.

triethylamine	121-44-8	TWA	1 ppm 4.1 mg/m <sup>3</sup>	CAD AB OEL
		STEL	3 ppm 12 mg/m <sup>3</sup>	CAD AB OEL
		TWA	1 ppm	CAD BC OEL
		STEL	3 ppm	CAD BC OEL
		STEV	15 ppm 61.5 mg/m <sup>3</sup>	OEL (QUE)
		VME	5 ppm 20.5 mg/m <sup>3</sup>	OEL (QUE)
triethylamine	121-44-8	TWA	1 ppm	ACGIH
		STEL	3 ppm	ACGIH
		TWA	25 ppm 100 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: opaque, white	white
Odour	: ammoniacal	ammoniacal
pH	: 7.0 - 8.5, 100 %	7.0 - 8.5
Flash point	: Not applicable., Does not sustain combustion.	
Odour Threshold	: no data available	

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

Melting point/freezing point	: no data available
Initial boiling point and boiling range	: 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.012 - 1.034
Water solubility	: no data available
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: 6.855 mm <sup>2</sup> /s (40 °C)
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available

### Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

Eyes : Health injuries are not known or expected under normal use.

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Product AT USE DILUTION

Eyes : Causes eye irritation.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

##### Product AS SOLD

Eye contact : No symptoms known or expected.  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

#### Product AT USE DILUTION

Eye contact : Redness, Irritation  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

#### Toxicity

##### Product AS SOLD

Acute oral toxicity : no data available  
Acute inhalation toxicity : no data available  
Acute dermal toxicity : no data available  
Skin corrosion/irritation : no data available  
Respiratory or skin sensitization : no data available  
Carcinogenicity : no data available  
Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

#### Components

Acute oral toxicity : triethylamine  
LD50 rat: 460 mg/kg

#### Components

Acute inhalation toxicity : triethylamine  
4 h rat: 7.23 mg/l

#### Components

Acute dermal toxicity : triethylamine  
LD50 rabbit: 410 mg/kg

### Section: 12. ECOLOGICAL INFORMATION

#### Product AS SOLD

##### Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

##### Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

#### Components

Toxicity to fish : triethylamine  
96 h EC50: 17 mg/l

#### Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

#### Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART A - PHAZER

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

#### Section: 14. TRANSPORT INFORMATION

##### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

##### Land transport (TDG)

Not dangerous goods

##### Sea transport (IMDG/IMO)

Not dangerous goods

##### Product AT USE DILUTION

Not intended for transport.

#### Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

##### Switzerland. New notified substances and declared preparations :

not determined

##### United States TSCA Inventory :

On TSCA Inventory

##### Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

##### Australia. Industrial Chemical (Notification and Assessment) Act :

not determined

##### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

not determined

##### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

##### Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

##### Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

##### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

##### China Inventory of Existing Chemical Substances :

not determined




# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART A - PHAZER

### Section: 16. OTHER INFORMATION

#### Product AS SOLD

##### NFPA:




##### HMIS III:

<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION

##### NFPA:



##### HMIS III:

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 06/08/2015  
version : 1.1  
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : MAXX DURABLE FLOOR FINISH PART B

Other means of identification : Not applicable.

Recommended use : Floor care product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : DILUTION DETAILED ON LABEL

Company : Ecolab Co.  
5105 Tomken Road  
Mississauga, Ontario Canada L4W 2X5  
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/08/2015

**Section: 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Flammable liquids : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

**Product AT USE DILUTION**

Eye irritation : Category 2B

**GHS Label element**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Combustible liquid  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause respiratory irritation.

Precautionary Statements : **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection.

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART B

### Response:

IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

### Product AT USE DILUTION

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.

### Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

### Product AS SOLD

Other hazards : None known.

## Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Product AS SOLD

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
hexane, 1,6-diisocyanato-, homopolymer	28182-81-2	60 - 100
Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate	88917-22-0	10 - 30
poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate	9046-01-9	5 - 10
cyclohexyldimethylamine	98-94-2	1 - 5
hexamethylene-di-isocyanate	822-06-0	0.1 - 1

### Product AT USE DILUTION

Chemical Name	CAS-No.	Concentration: (%)
hexane, 1,6-diisocyanato-, homopolymer	28182-81-2	1 - 5

## Section: 4. FIRST AID MEASURES

### Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART B

	shoes before reuse. Get medical attention.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

#### Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

### Section: 5. FIREFIGHTING MEASURES

#### Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus
Special protective equipment for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Risk of explosion.	: Not available.

### Section: 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

Personal precautions, protective equipment and	: Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion
--	--

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART B

emergency procedures : and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

### Product AS SOLD

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 10 °C to 40 °C

### Product AT USE DILUTION

Advice on safe handling : Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Product AS SOLD

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
hexamethylene-di-isocyanate	822-06-0	TWA	0.005 ppm	CAD AB OEL

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART B

			0.03 mg/m <sup>3</sup>	
		TWA	0.005 ppm	CAD BC OEL
		C	0.01 ppm	CAD BC OEL
		VME	0.005 ppm 0.034 mg/m <sup>3</sup>	OEL (QUE)
		TWA	0.005 ppm	CA ON OEL
		C	0.02 ppm	CA ON OEL
hexamethylene-di-isocyanate	822-06-0	TWA	0.005 ppm	ACGIH
		Ceiling	0.02 ppm 0.14 mg/m <sup>3</sup>	NIOSH REL
		TWA	0.005 ppm 0.035 mg/m <sup>3</sup>	NIOSH REL
hexane, 1,6-diisocyanato-, homopolymer	28182-81-2	TWA	0.005 ppm	CAD BC OEL
		C	0.01 ppm	CAD BC OEL
		TWA	0.005 ppm	CA ON OEL
		C	0.02 ppm	CA ON OEL
Propanol, 1(or 2)-(2-methoxymethylethoxy)-, acetate	88917-22-0	STEL	150 ppm 1,164 mg/m <sup>3</sup>	CA ON OEL
		TWA	100 ppm 776 mg/m <sup>3</sup>	CA ON OEL
cyclohexyldimethylamine	98-94-2	STEL	5 ppm 26 mg/m <sup>3</sup>	CA ON OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART B

Respiratory protection : No personal respiratory protective equipment normally required.

### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: clear, light yellow	white
Odour	: slight	ammoniacal
pH	: 7, 100 %	7.0 - 8.5
Flash point	: 86 °C closed cup, Sustains combustion	
Odour Threshold	: no data available	
Melting point/freezing point	: no data available	
Initial boiling point and boiling range	: no data available	
Evaporation rate	: no data available	
Flammability (solid, gas)	: no data available	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Relative density	: 1.062 - 1.15	
Water solubility	: no data available	
Solubility in other solvents	: no data available	
Partition coefficient: n-octanol/water	: no data available	
Auto-ignition temperature	: no data available	
Thermal decomposition	: no data available	
Viscosity, kinematic	: no data available	
Explosive properties	: no data available	
Oxidizing properties	: no data available	
Molecular weight	: no data available	
VOC	: no data available	

### Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Bases Organic materials

# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART B

Hazardous decomposition products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

##### Product AS SOLD

Eyes : Causes serious eye damage.  
Skin : Causes skin irritation. May cause allergic skin reaction.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : May cause respiratory tract irritation. May cause nose, throat, and lung irritation.  
Chronic Exposure : Health injuries are not known or expected under normal use.

##### Product AT USE DILUTION

Eyes : Causes eye irritation.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

##### Product AS SOLD

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Irritation, Allergic reactions  
Ingestion : No symptoms known or expected.  
Inhalation : Respiratory irritation, Cough

##### Product AT USE DILUTION

Eye contact : Redness, Irritation  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

#### Toxicity



## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART B

#### Product AS SOLD

Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

### Section: 12. ECOLOGICAL INFORMATION

#### Product AS SOLD

##### Ecotoxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

##### Product

Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available

##### Persistence and degradability

no data available

##### Bioaccumulative potential

no data available

##### Mobility in soil

no data available

##### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods	: The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
Disposal considerations	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

## SAFETY DATA SHEET

### MAXX DURABLE FLOOR FINISH PART B

#### Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

### Section: 14. TRANSPORT INFORMATION

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (TDG)

Not dangerous goods

#### Sea transport (IMDG/IMO)

Not dangerous goods

#### Product AT USE DILUTION

Not intended for transport.

### Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

**Switzerland. New notified substances and declared preparations :**  
not determined

**United States TSCA Inventory :**  
On TSCA Inventory

**Canadian Domestic Substances List (DSL) :**  
All components of this product are on the Canadian DSL.

**Australia. Industrial Chemical (Notification and Assessment) Act :**  
On the inventory, or in compliance with the inventory

**New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :**  
On the inventory, or in compliance with the inventory

**Japan. ENCS - Existing and New Chemical Substances Inventory :**  
not determined

**Japan. ISHL - Inventory of Chemical Substances (METI) :**  
not determined

**Korea. Korean Existing Chemicals Inventory (KECI) :**  
On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**  
On the inventory, or in compliance with the inventory

**China Inventory of Existing Chemical Substances :**  
On the inventory, or in compliance with the inventory


# SAFETY DATA SHEET

## MAXX DURABLE FLOOR FINISH PART B

### Section: 16. OTHER INFORMATION

#### Product AS SOLD

##### NFPA:




##### HMIS III:

HEALTH	3*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION

##### NFPA:



##### HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 06/08/2015  
version : 1.1  
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.