

## 1. Identification

### . Product identifier

. Trade name: **EP86 LOKSEAL Floor Sealer**

. Article number: 2321278001, 2321334001

. Recommended use: Floor sealer

. Restrictions on use: All other uses than those indicated on the product label and technical data sheet

### . Manufacturer:

Avmor LTD

950, Michelin

Laval, QC,

Canada

H7L 5C1

1-800-387-8074

www.avmor.com

. Emergency telephone number: CANUTEC 1-613-996-6666

## 2. Hazard identification

### . Classification of the product



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

. Signal word: Warning

### . Precautionary statements:

P264 Wash thoroughly after handling.


P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

### . Classification system:

### . NFPA ratings (scale 0 - 4):



Health = 0

Fire = 0

Reactivity = 0

. Hazard not otherwise classified: None

. Notes: For the wording of the listed abbreviations refer to section 16.

## 3. Composition/Information on ingredients

. Chemical characterization: Mixtures

. Description: Aqueous mixture consisting of the following components:

07/11/2016

07/11/2016

**Trade name: EP86 LOKSEAL Floor Sealer**

(Contd. of page 1)

**. Components:**

CAS No.	Description	Concentration
	Acrylic polymer	2.5-<10%
111-90-0	2-(2-ethoxyethoxy)ethanol	2.5-<10%
9010-77-9	2-Propenoic acid, polymer with ethene	0.1-≤2.5%

**. Additional information:** Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**4. First aid measures****. Description of first aid measures****. General information:****. After inhalation:**

In case of unconsciousness place patient stably in side position for transportation. Get medical attention.

**. After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**. After eye contact:** Rinse opened eye for several minutes under running water.

**. After ingestion:** If symptoms persist consult a doctor.

**. Information for doctor:**

**. Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**5. Firefighting measures****. Suitable extinguishing media:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**. Specific hazards arising from the product:** No further relevant information available.

**. Special protective equipment and precautions for fire-fighters:** No special measures required.

**. Additional information:**

This product is not flammable.

See -Section 9- for the flammability characteristics of this product.

**6. Accidental release measures****. Personal precautions, protective equipment and emergency procedures:**

Wear recommended protective equipment(s). Keep unprotected persons away.

**. Environmental precautions:** Dilute with plenty of water.

**. Methods and material for containment and cleaning up:**

Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

**. Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7. Handling and storage****. Handling:**

**. Precautions for safe handling:** Ensure good ventilation at the workplace.

**. Information about protection against explosions and fires:** No special measures required.

**. Conditions for safe storage, including any incompatibilities:****. Storage:**

**. Requirements to be met by storerooms and receptacles:** No special requirements.

(Contd. on page 3)

07/11/2016

07/11/2016

Trade name: **EP86 LOKSEAL Floor Sealer**

(Contd. of page 2)

- . **Information about storage in one common storage facility:** Not required.
- . **Conditions for safe storage, including any incompatibilities:** None.
- . **Specific end use(s):** No further relevant information available.

## 8. Exposure controls/ Personal protection

- . **Control parameters:**

- . **Components with limit values that require monitoring at the workplace:**

<b>111-90-0 2-(2-ethoxyethoxy)ethanol</b>
EV   Long-term value: 165 mg/m <sup>3</sup> , 30 ppm

- . **Additional information:** The lists that were valid during the creation were used as basis.

- . **Exposure controls:**

- . **Personal protective equipment:**



Protective gloves (See Protection of Hands)



Safety goggles (see Eye protection)

- . **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Avoid close or long term contact with the skin.

- . **Breathing equipment:** Not required.

- . **Protection of hands:**

Protective gloves.

Check protective gloves prior to each use for their proper condition

- . **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- . **Eye protection:**

Safety glasses are suggested when using this product in heavy use and institutional environments.

Wear splash-proof chemical goggles in an industrial environment.

- . **Body protection:**

Protective work clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. (recommended)

## 9. Physical and chemical properties

- . **Information on basic physical and chemical properties:**

- . **General Information:**

- . **Appearance:**

**Form:** Opaque Liquid

- . **Colour:** White

- . **Odour:** Acrylic

- . **Odor threshold:** Not determined.

(Contd. on page 4)

07/11/2016

07/11/2016

Trade name: **EP86 LOKSEAL Floor Sealer**

(Contd. of page 3)

. pH-value at 25 °C:	8.0 - 8.5
. Change in condition:	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
. Flash point:	Not determined.
. Flammability (solid, gaseous):	Not applicable.
. Ignition temperature:	Not determined.
. Decomposition temperature:	Not determined.
. Auto igniting:	Product is not selfigniting.
. Danger of explosion:	Product does not present an explosion hazard.
. Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
. Vapour pressure at 20 °C:	23 hPa Not determined.
. Density at 25 °C:	1.000 - 1.020 g/cm <sup>3</sup>
. Relative density	Not determined.
. Vapour density (air=1):	<1 (aqueous solution)
. Evaporation rate:	Not determined.
. Solubility in / Miscibility with:	
Water:	Fully miscible
. Partition coefficient (n-octanol/water):	Not determined.
. Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
. Solvent content:	
VOC content:	3.2 %

## 10. Stability and reactivity

- . **Reactivity:** Not determined.
- . **Chemical stability:**
- . **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- . **Possibility of hazardous reactions:** No dangerous reactions known.
- . **Conditions to avoid:** Avoid freezing and extreme heat conditions.
- . **Incompatible materials:** No further relevant information available.

(Contd. on page 5)

07/11/2016

07/11/2016

Trade name: **EP86 LOKSEAL Floor Sealer**

(Contd. of page 4)

**. Hazardous decomposition products:**

In case of decomposition: carbon monoxide and carbon dioxide and traces of volatile halogenated compounds.

**11. Toxicological information****. Information on the likely routes of exposure:****. Acute toxicity:****. Numerical measures of toxicity:**

Components	Type	Value (Species)
<b>Mean of exposure</b>		
<b>ATE (Acute Toxicity Estimates)</b>		
Oral	LD50	215363 mg/kg (Rat)
<b>111-90-0 2-(2-ethoxyethoxy)ethanol</b>		
Oral	LD50	5500 mg/kg (Rat)
Dermal	LD50	8500 mg/kg (Rabbit)
<b>68131-39-5 Alcohols (C12-15) Ethoxylated</b>		
Oral	LD50	>5000 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rat)
Irritation of skin	OECD guideline 404	Not classified. (Rabbit)
Irritation of eyes	OECD, guideline 405	cat. 1 (Rabbit)
Sensitization	OECD, guideline 406	Not classified. (guinea pig)

**. Symptoms related to the physical, chemical and toxicological characteristics:****. If on the skin:** Irritant to skin and mucous membranes.**. After ingestion:** May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.**. Sensitization:** No sensitizing effects known.**. Delayed and immediate effects, and chronic effects from short-term and long-term exposure:**

Prolonged or frequent contact can cause eczema and inflammation of the skins as a results of degreasing.

**. Additional toxicological information:**The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant.**. Carcinogenic categories:****. IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

**. NTP (National Toxicology Program)**

None of the ingredients is listed.

**12. Ecological information****. Toxicity****. Aquatic toxicity:**

<b>111-90-0 2-(2-ethoxyethoxy)ethanol</b>	
LC50 (96 h, OECD guideline 203)	>10000 mg/L (pimephales promelas [fathead minnow])
EC50 (48 h, OECD guideline 202)	3340-4670 mg/L (daphnia magna [water flea])
<b>68131-39-5 Alcohols (C12-15) Ethoxylated</b>	
LC50 (96 h, OECD guideline 203)	1.3-1.7 mg/L (oncorhynchus mykiss [rainbow trout])

(Contd. on page 6)

07/11/2016

07/11/2016

**Trade name: EP86 LOKSEAL Floor Sealer**

(Contd. of page 5)

EC50 (48 h, OECD guideline 202)	0.23 mg/L (daphnia magna [water flea])
EC50 (72 h, OECD guideline 201) (Static)	0.75 mg/L (Pseudokirchnerella Subcapitata)
NOEC (30 d, OECD directive 204) (Dynamic)	>1 mg/L (pimephales promelas [fathead minnow])
NOEC (21 d, ASTM 1988)	0.77 mg/L (daphnia magna [water flea])

**. Persistence and degradability:**

The surfactants and organic compounds contained in this product are readily biodegradable according to the OECD 301 guideline.

. **Bioaccumulative potential:** Does not accumulate in organisms.

. **Ecotoxicity:** No relevant information available.

. **Remark:** Harmful to fish (Product as sold).

**. Results of PBT and vPvB assessment**

. **PBT:** Not applicable.

. **vPvB:** Not applicable.

. **Other adverse effects** No further relevant information available.

**13. Disposal considerations****. Waste treatment methods:****. Recommendation:**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with local authority requirements.

Dispose in accordance with all applicable federal, state, provincial and local laws and regulations. Contact your local, state, provincial or Federal environmental agency for specific rules.

**. Uncleaned packagings:****. Recommendation:**

Do not re-use empty containers.

Dispose of packaging according to regulations on the disposal of packagings.

**. Recommended cleansing agent:**

Water, if necessary with cleansing agents.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

**14. Transport information****. UN-Number**

. **DOT/TDG/IMDG/IATA** Not regulated.

**. UN proper shipping name**

. **DOT/TDG** Not regulated.

**. Transport hazard class(es)****. DOT, IATA**

. **Class** Not regulated.

**. Packing group**

. **DOT** Not regulated.

(Contd. on page 7)

07/11/2016

07/11/2016

Trade name: **EP86 LOKSEAL Floor Sealer**

(Contd. of page 6)

**15. Regulatory information**

- . Safety, health and environmental regulations/legislation specific for the substance or mixture:
- . Canadian substance listings:

. **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

. **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

. **Canadian Ingredient Disclosure list (limit 1%)**

111-90-0 | 2-(2-ethoxyethoxy)ethanol

**16. Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. **Department issuing SDS:**

Prepared by :

Regulatory Affairs Department

. **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative