

# **SUMA DIP K1 Liquid Presoak**

**Revision:** 2018-12-05 **Version:** 03.0

#### 1. IDENTIFICATION

Product name: SUMA DIP K1 Liquid Presoak

Product Code: 93331198, 93331251

**SDS #**: MS0800358

Recommended use:

• Industrial/Institutional
• Warewashing product

Uses advised against:

Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 2415 Cascade Pointe Blvd. Charlotte, NC 28208 Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Canadian Headquarters

Phone: 1-800-668-7171

Mississauga, Ontario L5L 0B3

Diversey Canada, Inc. 3755 Laird Road Units 8-11

#### Classification for the undiluted product

Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Metal Corrosion: Category 1



Signal Word: Danger.

#### **Hazard and Precautionary Statements**

#### CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat. DO NOT MIX WITH ACIDS, TOILET BOWL CLEANER, AMMONIA OR ANY OTHER CHEMICAL.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### **Hazard and Precautionary Statements**

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Classified Ingredients

Ingredient(s)	CAS#	Weight %	
disodium disilicate	1344-09-8	1 - 5%	
Sodium hypochlorite	7681-52-9	1 - 5%	
Potassium hydroxide	1310-58-3	1 - 5%	
Sodium chloride	7647-14-5	1 - 5%	
Sodium dodecylbenzene sulfonate	25155-30-0	0.5 - 1.5%	
Decyl phenoxybenzenedisulfonic acid, disodium	36445-71-3	0.5 - 1.5%	
salt			
Sodium alkyl sulphonate	68608-26-4	> 0.1 - < 1%	
Benzenesulfonic acid, oxybis(decyl-), disodium salt	70146-13-3	> 0.1 - < 1%	
Sodium hydroxide	1310-73-2	> 0.1 - < 1%	

<sup>\*</sup>Exact percentages are being withheld as trade secret information

## 4. FIRST AID MEASURES

#### **Undiluted Product:**

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or

Most Important Symptoms/Effects: Burning.

Immediate medical attention and special treatment needed Not applicable.

## **Diluted Product:**

Eyes: Rinse with plenty of water.

Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

#### 5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# 6. ACCIDENTAL RELEASE MEASURES

Put on appropriate personal protective equipment (see Section 8.). Personal precautions:

**Environmental precautions** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in and clean-up methods:

a chemical waste container. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Mix only with water. DO NOT MIX WITH ACIDS, TOILET BOWL CLEANERS, AMMONIA, OR ANY OTHER CHEMICAL. Can react to release hazardous gases. FOR COMMERCIAL

AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

Aerosol Level (if applicable): Not applicable.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

# **Undiluted Product:**

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: Chemical-splash goggles. Hand protection: Chemical-resistant gloves.

Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear.

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program Respiratory protection:

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

#### **Diluted Product:**

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: No personal protective equipment required under normal use conditions. Hand protection: No personal protective equipment required under normal use conditions. Skin and body protection: No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Respiratory protection: Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear Straw Odor: Chlorine Evaporation Rate: No information available

Odor threshold: No information available. Boiling point/range: Not determined

Melting point/range: Not determined Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Relative Density (relative to water): 1.097 Solubility in other solvents: No information available Density: 9.15 lbs/gal 1.097 Kg/L Vapor density: No information available Bulk density: No information available Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93.4 °C Partition coefficient (n-octanol/water): No information available

Viscosity: No information available Elemental Phosphorus: 0.00 % by wt.

**pH**: 12.65 VOC: 0 % Corrosion to metals: Corrosive

Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

@ 1:32

Dilution pH: 11.36

Dilution Flash Point (°F): > 200 °F > 93.4 °C

VOC % by wt. at use dilution 0%

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable None reasonably foreseeable.

Hazardous decomposition products:

Materials to avoid: Strong bases. Ammonia. Do not mix with chlorinated products (such as bleach). Do not mix with any other product or chemical unless specified in the use directions. Acids. No information available.

Conditions to avoid:

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

#### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). **Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Numerical measures of toxicity

**ATE - Oral (mg/kg):** >5000

### 12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

#### 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

<u>DOT (Ground) Bill of Lading Description:</u> UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hypochlorite), 8, II

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hypochlorite), 8, II

## 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

#### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	=	-	-	-
Potassium polyacrylate	25608-12-2	ī	-	-	-
disodium disilicate	1344-09-8	Ī	-	-	-
Sodium hypochlorite	7681-52-9	X	X	X	X
Potassium hydroxide	1310-58-3	Χ	X	X	X
Sodium chloride	7647-14-5	-	-	-	-
Sodium dodecylbenzene sulfonate	25155-30-0	Χ	X	X	Х
Decyl phenoxybenzenedisulfonic acid, disodium salt	36445-71-3	-	-	-	-
Sodium alkyl sulphonate	68608-26-4	-	-	-	-
Benzenesulfonic acid, oxybis(decyl-), disodium salt	70146-13-3	-	-	-	-
Sodium hydroxide	1310-73-2	Χ	X	X	Х

#### **CERCLA/ SARA**

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (Ibs)	Section 302 TPQ (lbs)	Section 313
Sodium hypochlorite	7681-52-9	1 - 5%	100		
Potassium hydroxide	1310-58-3	1 - 5%	1000		
Sodium dodecylbenzene sulfonate	25155-30-0	0.5 - 1.5%	1000		
Sodium hydroxide	1310-73-2	> 0.1 - < 1%	1000		

#### Canadian Regulations

# **16. OTHER INFORMATION**

# NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

# **Diluted Product:**

Health 0 Flammability 0 Instability 0 Special Hazards -

**Revision:** 2018-12-05 **Version:** 03.0

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice: • Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.