




1 Identification

- **Product name: Scorpion Floor Finish Stripper**
- **Other means of identification (Article number):** 2126278001, 2126334001
- **Recommended use:**
Paint remover
Floor stripper
- **Restrictions on use:** All other uses than those indicated on the product label and technical data sheet
- **Uses advised against:** All other uses than those indicated on the product label and technical data sheet.
- **Manufacturer:**
Avmor LTD
950, Michelin
Laval, QC, H7L 5C1
Canada
1-800-387-8074
www.avmor.com
- **Emergency telephone number:** CANUTEC 1-613-996-6666

2 Hazard identification

- **Classification of the product as sold:**
Flam. Liq. 4 H227 Combustible liquid.
Skin Corr. 1C H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 3 H335 May cause respiratory irritation.
- **Label elements**
- **Hazard pictograms:**


GHS05 GHS07
- **Signal word:** Danger
- **Hazard statements:**
Combustible liquid.
Causes severe skin burns and eye damage.
May cause respiratory irritation.
- **Precautionary statements:**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or a doctor.
Call a POISON CENTER or a doctor if you feel unwell.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
IN CASE OF FIRE: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents and container in accordance with local, regional and national regulations.
- **Classification system**
- **NFPA ratings (scale 0 - 4):**

Health = 2
Fire = 1
Reactivity = 0
- **Hazard not otherwise classified:** None Known
- **Notes:** For the wording of the listed abbreviations refer to section 16.

· **Product AT USE DILUTION:** N/A

3 Composition/Information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Aqueous mixture consisting of the following components:

· Components:		
No. CAS	Designation	Concentration (%)
141-43-5	2-Aminoethanol	7-13%
100-51-6	Benzyl Alcohol	3-7%
112-59-4	2-(2-Hexyloxyethoxy)ethanol	1-5%
68131-39-5	Alcohols (C12-15) Ethoxylated	1-5%
61790-12-3	Fatty Acids and Tall Oil	0.1-1.0%

(Contd. on page 2)

Product name: Scorpion Floor Finish Stripper

(Contd. of page 1)

- **Additional information:** Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4 First aid measures

- **Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation. Get medical attention.
- **After skin contact:**
Remove immediately all contaminated clothing. Rinse skin with water or shower for at least 15 minutes. Consult a doctor if skin redness and irritation persist.
- **After eye contact:**
Rinse opened eye for several minutes under running water. Remove contact lenses, if present and easy to do so. Continue rinsing for a minimum of 15 to 60 minutes. Then consult a doctor.
- **After ingestion:** Drink copious amounts of water and provide fresh air. Immediately call a doctor. Do not induce vomiting.
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

5 Firefighting measures

- **Suitable extinguishing media:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Specific hazards arising from the product:** During heating or in case of fire poisonous gases are produced.
- **Special protective equipment and precautions for fire-fighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
- **Additional information:** See Section 9 for the flammability characteristics of this product.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Mount respiratory protective device.
Wear recommended protective equipment(s). Keep unprotected persons away.
Ventilate area of leak or spill. Remove all sources of ignition. Clean-up personnel require protective clothing and respiratory protection from organic vapors.
- **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.
- **Methods and material for containment and cleaning up:**
Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent (eg. food vinegar (5% acetic acid), citric acid, sodium bicarbonate in excess)
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling:** Ensure good ventilation at the workplace.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Keep respiratory protective device available.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Conditions for safe storage, including any incompatibilities:**
Keep in the original receptacle tightly sealed.
Store under lock and key and out of the reach of children.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/ Personal protection

- **Components with limit values that require monitoring at the workplace:**

141-43-5 2-Aminoethanol	
EL	Short-term value: 6 ppm Long-term value: 3 ppm
EV	Short-term value: 15 mg/m ³ , 6 ppm Long-term value: 7.5 mg/m ³ , 3 ppm
BASIS	ACGIH TLV (Canada)

- **Exposure controls:**
Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

- **Undiluted Product**
- **Personal protective equipment:**



Protective gloves (See Protection of Hands)



Safety glasses (Suggested)

- **General protective and hygienic measures:**
Avoid contact with the eyes and skin.
The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** If room is well-ventilated, a respirator is not needed under normal and intended conditions of product use.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product.
Protective Gloves
Check protective gloves prior to each use for their proper condition

(Contd. on page 3)

Product name: Scorpion Floor Finish Stripper

(Contd. of page 2)

· Eye protection:

Protective glasses are recommended when handling concentrated product.
Safety glasses are suggested when using this product in heavy use and institutional environments

· Body protection:

Protective work clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. (recommended)

9 Physical and chemical properties

- **Form:** Liquid
- **Colour:** Yellowish
- **Odour:** Amine
- **Odor threshold:** Not determined
- **pH-Value:** 11.0-12.0
- **Melting point/Freezing point:** Not determined
- **Boiling point/Boiling range:** N/D
- **Fusion temperature / range:** Not determined
- **Flash point:** N/D
- **Flammability (solid, gaseous):** Not applicable

- **Ignition temperature:** N/D

- **Decomposition temperature:** Not determined

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Not determined.

- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.

- **Vapour pressure:** N/D
- **Relative density:** 1,000-1,040
- **Vapour density (air=1):** <1 (aqueous solution)
- **Evaporation rate:** Not determined
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.

- **Partition coefficient (n-octanol/water):** Not determined
- **Viscosity:** <100 mPas

- **Solvent content:**
 - VOC content:** N/D

10 Stability and reactivity

- **Reactivity:** Not determined.
- **Chemical stability:** The product is stable.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** Reacts with acids.
- **Conditions to avoid:** Avoid freezing and extreme heat conditions.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
 - Carbon monoxide (CO) and carbon dioxide (CO₂)
 - In case of decomposition: carbon monoxide and carbon dioxide and traces of volatile halogenated compounds.

11 Toxicological information

- **Information on the likely routes of exposure** Skin and eyes contact
- **Numerical measures of acute toxicity:**

Components	Type	Value (Species)
Mean of exposure		
ATE (Acute Toxicity Estimate)		
Oral	LD50	>9,363 mg/kg (Rat)
Dermal	LD50	>6,024 mg/kg
Inhalative	LC50 (4 h)	98.7 mg/L
141-43-5 2-Aminoethanol		
Oral	LD50	2,050 mg/kg (Rat)
Dermal	LD50	1,000 mg/kg (Rabbit)
Irritation of skin	OECD guideline 404	~1 (Rabbit)
Irritation of eyes	OECD, guideline 405	~1 (Rabbit)
Sensitization	OECD, guideline 406	(guinea pig)
100-51-6 Benzyl Alcohol		
Oral	LD50	1,230 mg/kg (Rat)
Dermal	LD50	2,000 mg/kg (Rabbit)
Inhalative	LC50 (4 h)	5,000 mg/L (Rat)
112-59-4 2-(2-Hexyloxyethoxy)ethanol		
Oral	LD50	4,920 mg/kg (Rat)
Dermal	LD50	1,500 mg/kg (Rabbit)
68131-39-5 Alcohols (C12-15) Ethoxylated		
Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)

(Contd. on page 4)

Product name: Scorpion Floor Finish Stripper

(Contd. of page 3)

Irritation of skin	OECD guideline 404	(Rabbit)
Irritation of eyes	OECD, guideline 405	~1 (Rabbit)
Sensitization	OECD, guideline 406	(guinea pig)

- **Symptomes related to the physical, chemical and toxicological characteristics**
- **If on the skin:** CORROSIVE: Strong caustic effect on skin and mucous membranes.
- **If on the eye:**
CORROSIVE: Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **After ingestion:** May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.
- **Sensitization:** No sensitizing effects known.
- **Delayed and immediate effects, and chronic effects from short-term and long-term exposure:**
Prolonged or frequent contact can cause eczema and inflammation of the skins as a results of degreasing.
- **Carcinogenic categories:**

· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.

· NTP (National Toxicology Program)
None of the ingredients is listed.

12 Ecological information

- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** Not determined
- **Ecotoxicity:** No relevant information available.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods recommendation:**
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with local authority requirements.
Dispose in accordance with all applicable federal, state, provincial and local laws and regulations. Contact your local, state, provincial or Federal environmental agency for specific rules.
- **Uncleaned packagings recommendation:**
Do not re-use empty containers.
Dispose of packaging according to regulations on the disposal of packagings.
- **Recommended cleansing agent:**
Water
Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN3267
- **UN proper shipping name**
- **DOT+TDG** Corrosive liquid, basic, organic, n.o.s. (Ethanolamine)
- **IMDG, IATA** CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
- **Transport hazard class(es)**
- **DOT+TDG**
- **Class** 8 Corrosive substances
- **Label** 8
- **IMDG, IATA**
- **Class** 8 Corrosive substances
- **Packing group**
- **DOT, IMDG, IATA** III
- **Marine pollutant:** Yes (P)
- **Special precautions for user** Warning: Corrosive substances
- **Danger code (Kemler):** 80
- **EMS Number:** F-A,S-B
- **Segregation groups** Alkalis
- **Segregation Code** SG35 Stow "separated from" acids.
- **UN "Model Regulation":** UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE), 8, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Canadian substance listings**

· Canadian Domestic Substances List (DSL)
All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)
None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)
141-43-5 2-Aminoethanol
100-51-6 Benzyl Alcohol
112-59-4 2-(2-Hexyloxyethoxy)ethanol

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

(Contd. on page 5)

Product name: Scorpion Floor Finish Stripper

(Contd. of page 4)

· **Department issuing SDS:**

Prepared by :
Regulatory Affairs Department

· **Contact:** For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

· **Date of preparation:** 04/03/2018 / -